
FIRE DESIGN OF STEEL STRUCTURES

ECCS EUROCODE DESIGN MANUALS

ECCS EDITORIAL BOARD

Luís Simões da Silva (ECCS)

António Lamas (Portugal)

Jean-Pierre Jaspart (Belgium)

Reidar Bjorhovde (USA)

Ulrike Kuhlmann (Germany)

DESIGN OF STEEL STRUCTURES

Luís Simões da Silva, Rui Simões and Helena Gervásio

FIRE DESIGN OF STEEL STRUCTURES

Jean-Marc Franssen and Paulo Vila Real

AVAILABLE SOON

DESIGN OF COLD-FORMED STEEL STRUCTURES

Dan Dubina, Viorel Ungureanu and Raffaella Landolfo

DESIGN OF PLATED STRUCTURES

Darko Beg, Ulrike Kuhlmann, Laurence Davaine and Benjamin Braun

DESIGN OF CONNECTIONS IN STEEL AND COMPOSITE STRUCTURES

Jean-Pierre Jaspart

FATIGUE DESIGN OF STEEL AND COMPOSITE STRUCTURES

Alain Nussbaumer, Luís Borges and Laurence Davaine

INFORMATION AND ORDERING DETAILS

For price, availability, and ordering visit our website www.steelconstruct.com.

For more information about books and journals visit www.ernst-und-sohn.de.

FIRE DESIGN OF STEEL STRUCTURES

Eurocode 1: Actions on structures

**Part 1-2 – General actions – Actions on
structures exposed to fire**

Eurocode 3: Design of steel structures

Part 1-2 – General rules – Structural fire design

Jean-Marc Franssen

Paulo Vila Real



**ECCS
CECM
EKS**

Ernst & Sohn
A Wiley Company

Design of Steel Structures

1st Edition, 2010

Published by:

ECCS – European Convention for Constructional Steelwork

publications@steelconstruct.com

www.steelconstruct.com

Sales:

Wilhelm Ernst & Sohn Verlag für Architektur und technische Wissenschaften
GmbH & Co. KG, Berlin

All rights reserved. No parts of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright owner.

ECCS assumes no liability with respect to the use for any application of the material and information contained in this publication.

Copyright © 2010 ECCS – European Convention for Constructional Steelwork

ISBN (ECCS): 978-92-9147-099-0

ISBN (Ernst & Sohn): 978-3-433-02974-9

Printed in Multicomp Lda, Mem Martins, Portugal

Photo cover credits: Francois Malan

TABLE OF CONTENTS

FOREWORD	xiii
PREFACE	xv
NOTATIONS	xvii
Chapter 1	
INTRODUCTION	1
1.1. Relations between different Eurocodes	1
1.2. Scope of EN 1993-1-2	3
1.3. Layout of the book	3
Chapter 2	
MECHANICAL LOADING	7
2.1. General	7
2.1.1. General rule	7
2.1.2. Simplification 1	10
2.1.3. Simplification 2	10
2.1.4. Simplification 3	12
2.2. Examples	12
2.3. Indirect actions	14
Chapter 3	
THERMAL ACTION	17
3.1. General	17
3.2. Nominal temperature-time curves	18
3.3. Parametric temperature-time curves	21
3.4. Zone models	29

TABLE OF CONTENTS

3.5. CFD models	31
3.6. Localised fires	32
3.7. External members	39

Chapter 4

TEMPERATURE IN STEEL SECTIONS **45**

4.1. Introduction	45
4.2. The heat conduction equation and its boundary conditions	45
4.3. Advanced calculation model. Finite element solution of the heat conduction equation	47
4.3.1. Temperature field using the finite element method	48
4.4. Section factor	51
4.5. Temperature of unprotected steelwork exposed to fire	54
4.6. Temperature of protected steelwork exposed to fire	61
4.7. Internal steelwork in a void protected by heat screens	77
4.8. External steelwork	78
4.8.1. General principles	78
4.8.2. Example	80
4.9. View factors in the concave part of a steel profile	88
4.10. Temperature in steel members subjected to localised fires	91
4.10.1. Unprotected steel members	91
4.10.2. Protected steel members	93
4.11. Temperature in stainless steel members	94
4.11.1. Example	97

Chapter 5

MECHANICAL ANALYSIS **99**

5.1. Basic principles	99
5.2. Mechanical properties of carbon steel	104
5.3. Classification of cross-sections	109
5.4. Fire resistance of structural members	118
5.4.1. General	118

5.4.2. Tension members	120
5.4.3. Compression members	121
5.4.4. Shear resistance	124
5.4.5. Laterally restrained beams	127
5.4.5.1. <i>Uniform temperature distribution</i>	127
5.4.5.2. <i>Non-uniform temperature distribution</i>	128
5.4.5.3. <i>Bending and shear</i>	131
5.4.6. Laterally unrestrained beams	133
5.4.6.1. <i>The elastic critical moment for lateral-torsional buckling</i>	133
5.4.6.2. <i>Resistance to lateral-torsional buckling</i>	137
5.4.7. Members with Class 1, 2 or 3 cross-sections, subjected to combined bending and axial compression	140
5.4.8. Members with Class 4 cross-sections	143
5.4.9. Some verifications of the fire resistance not covered by EN 1993-1-2	143
5.4.9.1. <i>Shear buckling resistance for web without intermediate stiffeners</i>	147
5.4.9.2. <i>Cross section verification of a member subjected to combined bending and axial force (compression or tension)</i>	145
5.4.9.2.1. <i>Class 1 and 2 rectangular solid sections</i>	146
5.4.9.2.2. <i>Class 1 and 2 doubly symmetrical I- and H-sections</i>	147
5.4.9.3. <i>Bending, shear and axial force</i>	149
5.5. Design in the temperature domain. Critical temperature	149
5.6. Design of continuous beams	160
5.6.1. General	160
5.6.2. Continuous beams at room temperature	161
5.6.3. Continuous beams under fire conditions	164
5.7. Fire resistance of structural stainless steel members	166
5.8. Design examples	173

TABLE OF CONTENTS

Chapter 6

ADVANCED CALCULATION MODELS **235**

6.1. General	235
6.2. Thermal response model	237
6.3. Mechanical response model	244

Chapter 7

JOINTS **251**

7.1. General	251
7.2. Strength of bolts and welds at elevated temperature	252
7.3. Temperature of joints in fire	254
7.4. Bolted connections	255
7.4.1. Design fire resistance of bolts in shear	255
7.4.1.1. <i>Category A: Bearing type</i>	255
7.4.1.2. <i>Category B (slip resistance at serviceability) and Category C (slip resistance at ultimate state)</i>	256
7.4.2. Design fire resistance of bolts in tension	256
7.4.2.1. <i>Category D and E: Non-preloaded and preloaded bolts</i>	256
7.5. Design fire resistance of welds	256
7.5.1. Butt welds	256
7.5.2. Fillet welds	257
7.6. Design examples	257

viii

Chapter 8

THE COMPUTER PROGRAM “ELEFIR-EN” **267**

8.1. General	267
8.2. Brief description of the program	268
8.2.1. Available thermal calculations	268
8.2.2. Available mechanical calculations	273
8.3. Default constants used in the program	278
8.4. Design example	279

Chapter 9	
CASE STUDY	293
9.1. Description of the case study	293
9.2. Fire resistance under standard fire	294
9.2.1. Thermal calculations	294
9.2.2. Structural calculation	295
9.2.2.1. <i>Loading</i>	295
9.2.2.2. <i>Fire resistance by the simple calculation model</i>	300
9.2.2.3. <i>Fire resistance by the general calculation model</i>	302
9.3. Fire resistance under natural fire	304
9.3.1. Temperature development in the compartment	304
REFERENCES	311
Annex A	
THERMAL DATA FOR CARBON STEEL AND STAINLESS	
STEEL SECTIONS	319
A.1. Thermal properties of carbon steel	319
A.1.1. Specific heat	319
A.1.2. Thermal conductivity	320
A.1.3. Thermal elongation	321
A.2. Section factor A_m/V [m^{-1}] for unprotected steel members	322
A.3. Section factor A_p/V [m^{-1}] for protected steel members	324
A.4. Tables and nomograms for evaluating the temperature in unprotected steel members subjected to the standard fire curve ISO 834	325
A.5. Tables and nomograms for evaluating the temperature in protected steel members subjected to the standard fire curve ISO 834	331
A.6. Thermal properties of some fire protection materials	335
A.7. Thermal properties of stainless steel	336
A.7.1. Specific heat	336
A.7.2. Thermal conductivity	336
A.7.3. Thermal elongation	337

TABLE OF CONTENTS

A.8. Tables and nomograms for evaluating the temperature in unprotected stainless steel members subjected to the standard fire curve ISO 834	339
A.9. Thermal properties of some fire compartment lining materials	345

Annex B

<u>INPUT DATA FOR NATURAL FIRE MODELS</u>	347
B.1. Introduction	347
B.2. Fire load density	347
B.3. Rate of heat release density	350
B.4. Ventilation control	354
B.5. Flash-over	358

Annex C

<u>MECHANICAL PROPERTIES OF CARBON STEEL AND STAINLESS STEEL</u>	359
C.1 Mechanical properties of carbon steel	359
C.1.1. Mechanical properties of carbon steel at room temperature (20°C)	359
C.1.2. Stress-strain relationship for carbon steel at elevated temperatures (without strain-hardening)	361
C.1.3. Stress-strain relationship for carbon steel at elevated temperatures (with strain-hardening)	370
C.1.4. Mechanical properties to be used with Class 4 cross-section and simple calculation models	372
C.2. Mechanical properties of stainless steel	374

Annex D

<u>TABLES FOR SECTION CLASSIFICATION AND EFFECTIVE WIDTH EVALUATION</u>	383
--------------------------------------------------------------------------------	------------

Annex E	
<u>SECTION FACTORS OF EUROPEAN HOT ROLLED</u>	
<u>IPE AND HE PROFILES</u>	<u>389</u>
Annex F	
<u>CROSS-SECTIONAL CLASSIFICATION OF EUROPEAN</u>	
<u>HOT ROLLED IPE AND HE PROFILES</u>	<u>397</u>
F.1. Cross-sectional classification for pure compression and pure bending	398
F.2. Cross-sectional classification for combined compression and bending moment	404

TABLE OF CONTENTS

FOREWORD

Designing for fire is an important and essential requirement in the design process of buildings and civil engineering structures. Within Europe the fire resistance requirements for buildings are specified in the national Building Regulations. All buildings must meet certain functional requirements and these are usually linked to the purpose and height of the building. For the purpose of this publication, the most important requirement is for the building to retain its stability for a reasonable period. This requirement has traditionally been linked to the required time of survival in the standard fire test. The most common method of designing a steel structure for the fire condition is to design the building for the ambient temperature loading condition and then to cover the steel members with proprietary fire protection materials to ensure that a specific temperature is not exceeded. Although this remains the simplest approach for the majority of regular steel framed buildings, one of the drawbacks with this approach is that it is often incorrectly assumed that there is a one to one correspondence between the survival time in the standard fire test and the survival time in a real fire. This is not the case and real fire can be more or less severe than the standard fire test depending on the characteristics of the fire enclosure.

xiii

The fire parts of the Eurocodes set out a new way of approaching structural fire design. To those more familiar with the very simple prescriptive approach to the design of structures for fire, the new philosophy may appear unduly complex. However, the fire design methodology in the Eurocodes affords the designer much greater flexibility in his approach to the subject. The options available range from a simple consideration of isolated member behaviour subject to a standard fire to a consideration of the physical parameters influencing fire development coupled with an analysis of the entire building.

The Eurocode process can be simplified in to three components consisting of the characterisation of the fire model, a consideration of the temperature distribution within the structure and an assessment of the structural response

FOREWORD

to the fire. Information on thermal actions for temperature analysis is given in EN 1991-1-2 and the method used to calculate the temperature rise of structural steelwork (either protected or unprotected) is found in EN 1993-1-2. The design procedures to establish structural resistance are set out in EN 1993 but the actions (or loads) to be used for the assessment are taken from the relevant parts of EN 1991.

This publication follows this sequence of steps. Chapter 2 explains how to calculate the mechanical actions (loads) in the fire situation based on the information given in EN 1990 and EN 1991. Chapter 3 presents the models that may be used to represent the thermal actions. Chapter 4 describes the procedures that may be used to calculate the temperature of the steelwork from the temperature of the compartment and Chapter 5 shows how the information given in EN 1993-1-2 may be used to determine the load bearing capacity of the steel structures. The methods used to evaluate the fire resistance of bolted and welded connections are described in Chapter 7. In all of these chapters the information given in the Eurocodes is presented in a practical and usable manner. Each chapter also contains a set of easy to follow worked examples.

Chapter 8 describes a computer program called ‘Elefir-EN’ which is based on the simple calculation model given in the Eurocode and allows designers to quickly and accurately calculate the performance of steel components in the fire situation. Chapter 9 looks at the issues that a designer may be faced with when assessing the fire resistance of a complete building. This is done via a case study and addresses most of the concepts presented in the earlier chapters. Finally the annexes give basic information on the thermal and mechanical properties for both carbon steel and stainless steel.

The concepts and fire engineering procedures given in the Eurocodes may seem complex to those more familiar with the prescriptive approach. This publication sets out the design process in a logical manner giving practical and helpful advice and easy to follow worked examples that will allow designers to exploit the benefits of this new approach to fire design.

David Moore

BCSA Director of Engineering

PREFACE

When a fire breaks out in a building, except in very few cases, the structure has to perform in a satisfactory manner in order to meet various objectives such as, e.g., to limit the extension of the fire, to ensure evacuation of the occupant or to allow safe operations by the fire brigade. Steel structures are no exception to this requirement.

Eurocode 3 proposes design methods that allow verifying whether the stability and resistance of a steel structure is ensured. A specific Part 1-2 of Eurocode 3 is dedicated to the calculation of structures subjected to fire. Indeed, the fact that the stress-strain relationship becomes highly non-linear at elevated temperatures, plus the fact that heating leads to thermal expansion with possible restraint forces, make the rules derived for ambient temperature inaccurate in the fire situation.

After a long evolution and maturation, the Eurocodes have received the status of European standards. The fire part of Eurocode 3 is EN 1993-1-2. This makes the application of these rules mandatory in member states of the European Community. In many other parts of the world, these standards are considered as valuable pieces of information and their application may be rendered mandatory, either by law or by contractual imposition.

Nevertheless, standards are not written with pedagogic objectives. Yet, for a designer who has not been involved in the research projects that are at the base of the document, some questions may arise when the rules have to be applied to practical cases.

The objective of this book is to explain the rules, to give some information about the fundamental physics that is at the base of these rules and to show by examples how they have to be applied in practice. It is expected that a designer who reads this book will reduce the probability of doing a non appropriate application of the rules and, on the contrary, will be in a better position to make a design in a situation that has not been explicitly foreseen in the code.

A design in the fire situation is based on load combinations that are different from those considered at room temperatures. Actions on structures from fire

PREFACE

exposure are classified as accidental actions and the load combinations for the fire situation are given in the Eurocode, EN 1990. The thermal environment created by the fire must also be defined in order to calculate the temperature elevation in the steel sections and different models are given in part 1.2 of Eurocode 1 for representing the fire. In order to encompass in one single document all aspects that are relevant to the fire design of steel structures, this book deals with the fire part of Eurocode 1 as well as that of Eurocode 3.

The requirements, i.e., for example, the duration of stability or resistance that has to be ensured to the structure, is not treated in the Eurocodes. This aspect is indeed very often imposed by the legal environment, especially when using a prescriptive approach, or has to be treated separately by, for example, a risk analysis based on evacuation time. In line with the Eurocodes, this book does not deal with the requirement.

A computer program, Elefir-EN, which has been developed for the fire design of structural members in accordance with the simple calculation models given in the Eurocodes, is supplied with this book. The software is an essential tool for structural engineers in the design office, enabling quick and accurate calculations to be produced, reducing design time and the probability of errors in the application of the equations. It can also be used by academics and students.

xvi

The program has been carefully checked for reliability and do not contain any known errors, but the authors and the publisher assume no responsibility for any damage resulting from the use of this program. No warranty of any type is given or implied concerning the correctness or accuracy of any results obtained from the program. It is the responsibility of the program user to independently verify any analysis results. Please contact the authors if any errors are discovered. The program is licensed to the purchasers of this book who are strongly encouraged to register in its web site so that any updated version can be delivered.

Jean-Marc Franssen
Paulo Vila Real
